

Schüco ASS 70 FD: Folding sliding doors for exteriors

Complete glass walls can be opened almost fully with the thermally insulated Schüco ASS 70 FD folding sliding door. The door leaf stack folds easily, with minimal force, inward or outward, and slides to the right and/or to the left. The door leaves roll almost silently on high-quality roller carriers and are securely guided at the top and at the bottom.



Key benefits:

- Robust, thermally insulated aluminium profiles
- Easy-to-operate (lockable) one-hand handles
- Durable surface finishing
- A higher level of sound reduction can be selected
- Different profile colours inside and outside (colour coated or anodised surface)
- Use of various glazing beads
- Can also be used as balcony glazing

The individual units are simply folded into a small space and pushed to the sides - quickly and compactly. This creates the ideal connection between the interior and exterior. Schüco ASS 70 FD can be easily combined with other Schüco systems.

Technical Information

Material	
Aluminium	
Type of construction	
Thermally insulated	
Folding sliding windows and doors	

Manuals

Order and fabrication manual 1-5

Schüco ASS 70 FD

- Profiles
- Unit section details
- Glazing
- Corner cleat
- Fittings
- Overview of types
- Tools

Schüco ASS 70 FD

- KDrawing Overview

Fabrication drawings

- k12149 Options available - inward opening
- k15203 Options available - inward opening
- k12150 Options available - outward opening
- k12161 Side-hung door with flush threshold - inward opening
- k12162 Side-hung door with flush threshold - outward opening
- k12361 Balcony glazing - inward-opening
- k12151 Drainage and ventilation - Outer frame
- k12152 Drilling patterns - corner cleats
- k12153 Corner cleat - Installation
- k12220 Installation/fabrication - Blocking
- k12154 Adjustment device
- k12156 Shoot bolt locking
- k12157 Section details 1 and 2 - inward-opening
- k12158 Section details 3 and 4 - inward-opening
- k12159 Section details 5 and 6 - inward-opening
- k12160 Section details 7 and 8 - inward-opening
- k12155 Retaining catch
- k15242 Security door WK2 - Inward opening
- k12342 Installation kit for retainer 233909 - inward opening
- k15221 Installation kit for retainer 233909 - Fabrication
- k12366 Installation kit for retainer 233909 - Operating Instructions